



Myon II

Micro CPU-Module with NXP i.MX 8M Mini

Keith & Koep

- NXP i.MX 8M Mini Arm Cortex A53 CPU up to 1.8 GHz, with integrated Cortex M4
- Up to 8 GByte LPDDR4-3200 RAM, 32 Bit
- GBit Ethernet, USB 2.0
- Supports MIPI Displays and Cameras
- LVDS Transceiver
- Low power consumption via 14nm LPC FinFET technology
- Ideal for IoT and handheld devices due to its compact dimensions
- With Linux, Android and Windows IoT Core OS available



Features

Processor	NXP™ i.MX 8M Mini with Arm® Cortex A53 Quad-Core up to 1.8 GHz (consumer), 1.6 GHz (industrial), with integrated Cortex M4
RAM Memory	Up to 8 GByte LPDDR4-3200, 32 Bit
Flash Storage	8 Bit wide eMMC 2 additional external SD cards can be connected via the SDIO interfaces
Wireless Communication	External chipsets for wireless communication can be connected via SDIO, PCIe or USB interfaces
Display Interfaces	MIPI DSI (4 channel, resolution up to 1080p, 60 fps) or LVDS
Interfaces	2x USB2.0 OTG, PCIe, 2x SDIO, SPDIF In/Out, I2S, Multichannel Serial-Audio-Interface, 4x UART, I2C, SPI, QSPI, GPIOs, PWM
Ethernet	10/100MBit/1GBit RGMII interface Additional Ethernet interfaces can be implemented via PCIe and USB interfaces
Extension Connector	2x 100pin Hirose DF40
Camera Interfaces	MIPI CSI (4 channel)
Audio Codec	Stereo Headphone output, Speaker output, Stereo Line-In, Microphone inputs
Power	High-Eff. PMIC with single supply controlled by I2C
Compatibility	Pin compatible to Myon I CPU module

General Details

System Software	Linux Kernel 4.14, Android 9, Windows 10 IoT Core
Voltage Supply	+3V3 ... 5V DC
Operating Temperature	-40 ... 85°C (Industrial) / -25 ... 85°C (Extended Consumer) / 0 ... 70°C (Consumer)
Board Dimensions	48 x 32 x 4.2 mm (W x H x D)
Environmental Standard	RoHS, REACH, WEEE
Availability	10 years form, fit, function*



www.keith-koep.com

Keith & Koep GmbH
Uellendahler Str. 199
42109 Wuppertal
Tel +49-202-25253-0
Fax +49-202-25253-33

*beginning product life circle Rev.1910
Technical modifications reserved, errors excepted